

# **Use of Imaging in Low Back Pain**

# **Measure Description**

The percentage of patients with a primary diagnosis of low back pain who did not have an imaging study (plain X-ray, MRI, CT scan) within 28 days of the diagnosis.

## **Evaluation Period**

January 1-December 3 of the Calendar Year

### **Numerator**

An imaging study with a diagnosis of uncomplicated low back pain on the IESD or in the 28 days following the IESD.

Condition Description	# Event	Detailed Criteria
Imaging Study	1	CPT Codes (72010, 72020, 72052, 72100, 72110, 72114, 72120, 72131, 72132, 72133, 72141, 72142, 72146, 72147, 72148, 72149, 72156, 72158, 72200, 72202, 72220)  UBREV Codes (0320, 0329, 0350, 0352, 0359, 0610, 0612, 0614, 0619, 0972)

#### **Denominator**

18 years as of January 1 of the measurement year to 50 years as of December 31 of the measurement year who had a primary diagnosis of low back pain AND any of the following visits:

- Outpatient visit
- Observation visit Do not include observation visits that result in an inpatient stay (Inpatient Stay Value Set). An observation visit results in an inpatient stay when the ED/observation visit date of service and the admission date for the inpatient stay are one calendar day apart or less.
- ED visit Do not include ED visits that result in an inpatient admission. An ED visit results in an inpatient stay when the ED visit date of service and the admission date for the inpatient stay are one calendar day apart or less.
- Osteopathic or chiropractic manipulative treatment
- Physical therapy visit
- Telehealth visit



Uncomplicated Low Back Pain:

Description         ICD-10CM Codes (M47.26, M47.27, Medical Codes)           Low Back Pain         ICD-10CM Codes (M47.26, M47.27, Medical Codes)           M47.816, M47.817, M47.818, M47.898         M47.897, M47.898, M48.06, M48.07, M47.08, M51.16, M51.17, M51.26, M67.36, M51.37, M51.86, M51.37, M51.86, M51.37, M51.86, M51.87, M53.2X6, M53.2X7, M53.2X8, M53.3, M53.2X6, M53.2X7, M53.2X8, M53.3, M53.86, M53.87, M53.88, M54.16, M67.31, M54.32, M67.31, M54.32, M67.31, M54.32, M67.31, M54.32, M67.31, M54.32, M67.31, M54.32, M67.31, M54.41, M54.42, M54.5, M54.89, M54.31, M54.32, M67.31, M54.41, M54.42, M54.5, M54.89, M54.31, M54.41, M54.42, M54.5, M54.89, M54.31, M54.32, M67.31, M54.41, M54.42, M54.5, M54.89, M54.31, M54.41, M54.42, M54.5, M54.89, M54.31, M54.41, M54.42, M54.5, M54.89, M54.41, M54.42, M54.51, M54.89, M5	
Low Back Pain  M47.816, M47.817, M47.818, M47.898  M47.897, M47.898, M48.06, M48.07,  M47.08, M51.16, M51.17, M51.26, M1  M51.36, M51.37, M51.86, M51.87,  M53.2X6, M53.2X7, M53.2X8, M53.3,  M53.86, M53.87, M53.88, M54.16, M1  M54.18, M54.30, M54.31, M54.32, M1  M54.41, M54.42, M54.5, M54.89, M54.	
M99.03, M99.04, M99.23, M99.33, M M99.53, M99.63, M99.73, M99.83, M S33.100A, S33.100D, S33.100S, S33. S33.110D, S33.110S, S33.120A, S33. S33.120S, S33.130A, S33.140D, S33.140S, S33. S33.6XXA, S33.8XXA, S33.9XXA, S39. S39.002D, S39.002S, S39.012A, S39. S39.012S, S39.092A, S39.092D, S39. S39.82XA, S39.82XD, S39.82XS, S39. S39.92XD, S39.92XS)  ICD-9CM Codes (721.3, 721.90, 722. 722.52, 722.6, 724.02, 724.2, 724.3, 724.6, 724.70, 724.71, 724.79, 738.5	96, 51.27, 54.17, 54.40, 4.9, 99.43, 99.84, .110A, .120D, .130S, .5XXA, 0.002A, .012D, .092S, .92XA,
739.3, 739.4, 846.0, 846.1, 846.2, 84	10.5,

# AND one of the following during the intake period

Condition Description	# Event	Detailed Criteria
Outpatient Visit	1	CPT Codes (99201-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99420, 99429, 99455, 99456)  UBREV Codes (0510, 0511, 0512, 0513, 0514, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0982,
Observation Visit	1	0983)
Observation visit		CPT Codes (99217, 99218, 99219, 99220)
ED Visit	1	CPT Codes (99281, 99282, 99283, 99284, 99285)  UBREV Codes (0450, 0451, 0452,
		0456, 0459, 0981)



Osteopathic and Chiropractic	1	CPT Codes (98925, 98926, 98927,
Manipulative Treatment		98928, 98929, 98940, 98941,
		98942)
Physical Therapy	1	CPT Codes (97110, 97112, 97113,
		97124, 97140)
Telehealth	1	CPT Codes (98966, 98967, 98968,
		98969, 99441, 99442, 99443,
		99444)

# **Denominator Exclusions**

Exclude patients with any uncomplicated low back pain diagnosis during the 180 days (6 months) prior to the IESD.

Exclude any patient who had a diagnosis for which imaging is clinically appropriate. Any of the following meet criteria:

0 111		
Condition	# Event	Detailed Criteria
Description		
Cancer - any	1	ICD10 Codes (Z85.50, Z85.51, Z85.520, Z85.528,
time during the		Z85.53, Z85.54, Z85.59, Z85.6, Z85.71, Z85.72, Z85.79,
patient's history		Z85.810, Z85.818, Z85.819, Z85.820, Z85.821, Z85.828,
through 28 days		Z85.830, Z85.831, Z85.840, Z85.841, Z85.848, Z85.850,
after the IESD		Z85.858, Z85.89, Z85.9, Z86.000, Z86.001, Z86.008,
		Z86.03, C81.00, C81.01, C81.02, C81.03, C81.04,
		C81.05, C81.06, C81.07, C81.08, C81.09, C81.10,
		C81.11, C81.12, C81.13, C81.14, C81.15, C81.16,
		C81.17, C81.18, C81.19, C81.20, C81.21, C81.22,
		C81.23, C81.24, C81.25, C81.26, C81.27, C81.28,
		C81.29, C81.30, C81.31, C81.32, C81.33, C81.34,
		C81.35, C81.36, C81.37, C81.38, C81.39, C81.40,
		C81.41, C81.42, C81.43, C81.44, C81.45, C81.46,
		C81.47, C81.48, C81.49, C81.70, C81.71, C81.72,
		C81.73, C81.74, C81.75, C81.76, C81.77, C81.78,
		C81.79, C81.90, C81.91, C81.92, C81.93, C81.94,
		C81.95, C81.96, C81.97, C81.98, C81.99, C82.00,
		C82.01, C82.02, C82.03, C82.04, C82.05, C82.06,
		C82.07, C82.08, C82.09, C82.10, C82.11, C82.12,
		C82.13, C82.14, C82.15, C82.16, C82.17, C82.18,
		C82.19, C82.20, C82.21, C82.22, C82.23, C82.24,
		C82.25, C82.26, C82.27, C82.28, C82.29, C82.30,
		C82.31, C82.32, C82.33, C82.34, C82.35, C82.36,
		C82.37, C82.38, C82.39, C82.40, C82.41, C82.42,
		C82.43, C82.44, C82.45, C82.46, C82.47, C82.48,
		C82.49, C82.50, C82.51, C82.52, C82.53, C82.54,
		C82.55, C82.56, C82.57, C82.58, C82.59, C82.60,
		C82.61, C82.62, C82.63, C82.64, C82.65, C82.66,
		C82.67, C82.68, C82.69, C82.80, C82.81, C82.82,
		C82.83, C82.84, C82.85, C82.86, C82.87, C82.88,
		C82.89, C82.90, C82.91, C82.92, C82.93, C82.94,
		C82.95, C82.96, C82.97, C82.98, C82.99, C83.00,



```
C83.01, C83.02, C83.03, C83.04, C83.05, C83.06,
C83.07, C83.08, C83.09, C83.10, C83.11, C83.12,
C83.13, C83.14, C83.15, C83.16, C83.17, C83.18,
C83.19, C83.30, C83.31, C83.32, C83.33, C83.34,
C83.35, C83.36, C83.37, C83.38, C83.39, C83.50,
C83.51, C83.52, C83.53, C83.54, C83.55, C83.56,
C83.57, C83.58, C83.59, C83.70, C83.71, C83.72,
C83.73, C83.74, C83.75, C83.76, C83.77, C83.78,
C83.79, C83.80, C83.81, C83.82, C83.83, C83.84,
C83.85, C83.86, C83.87, C83.88, C83.89, C83.90,
C83.91, C83.92, C83.93, C83.94, C83.95, C83.96,
C83.97, C83.98, C83.99, C84.00, C84.01, C84.02,
C84.03, C84.04, C84.05, C84.06, C84.07, C84.08,
C84.09, C84.10, C84.11, C84.12, C84.13, C84.14,
C84.15, C84.16, C84.17, C84.18, C84.19, C84.40,
C84.41, C84.42, C84.43, C00.0, C00.1, C00.2, C00.3,
C00.4, C00.5, C00.6, C00.8, C00.9, C01, C02.0, C02.1,
C02.2, C02.3, C02.4, C02.8, C02.9, C03.0, C03.1,
C03.9, C04.0, C04.1, C04.8, C04.9, C05.0, C05.1,
C05.2, C05.8, C05.9, C06.0, C06.1, C06.2, C06.80,
C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1,
C09.8, C09.9, C10.0, C10.1, C10.2, C10.3, C10.4,
C10.8, C10.9, C11.0, C11.1, C11.2, C11.3, C11.8,
C11.9, C12, C13.0, C13.1, C13.2, C13.8, C13.9, C14.0,
C14.2, C14.8, C15.3, C15.4, C15.5, C15.8, C15.9,
C16.0, C16.1, C16.2, C16.3, C16.4, C16.5, C16.6,
C16.8, C16.9, C17.0, C17.1, C17.2, C17.3, C17.8,
C17.9, C18.0, C18.1, C18.2, C18.3, C18.4, C18.5,
C18.6, C18.7, C18.8, C18.9, C19, C20, C21.0, C21.1,
C21.2, C21.8, C22.0, C22.1, C22.2, C22.3, C22.4,
C22.7, C22.8, C22.9, C23, C24.0, C24.1, C24.8, C24.9,
C25.0, C25.1, C25.2, C25.3, C25.4, C25.7, C25.8,
C25.9, C26.0, C26.1, C26.9, C30.0, C30.1, C31.0,
C31.1, C31.2, C31.3, C31.8, C31.9, C32.0, C32.1,
C32.2, C32.3, C32.8, C32.9, C33, C34.00, C34.01,
C34.02, C34.10, C34.11, C34.12, C34.2, C34.30,
C34.31, C34.32, C34.80, C34.81, C34.82, C34.90,
C34.91, C34.92, C37, C38.0, C38.1, C38.2, C38.3,
C38.4, C38.8, C39.0, C39.9, C40.00, C40.01, C40.02,
C40.10, C40.11, C40.12, C40.20, C40.21, C40.22,
C40.30, C40.31, C40.32, C40.80, C40.81, C40.82,
C40.90, C40.91, C40.92, C41.0, C41.1, C41.2, C41.3,
C41.4, C41.9, C43.0, C43.10, C43.11, C43.12, C43.20,
C43.21, C43.22, C43.30, C43.31, C43.39, C43.4,
C43.51, C43.52, C43.59, C43.60, C43.61, C43.62,
C43.70, C43.71, C43.72, C43.8, C43.9, C44.00, C44.01,
C44.02, C44.09, C44.101, C44.102, C44.109, C44.111,
C44.112, C44.119, C44.121, C44.122, C44.129,
C44.191, C44.192, C44.199, C44.201, C44.202,
C44.209, C44.211, C44.212, C44.219, C44.221,
C44.222, C44.229, C44.291, C44.292, C44.299,
C44.300, C44.301, C44.309, C44.310, C44.311,
C44.319, C44.320, C44.321, C44.329, C44.390,
```



		C44.391, C44.399, C44.40, C44.41, C44.42, C44.49,
		C44.500, C44.501, C44.509, C44.510, C44.511,
		C44.519, C44.520, C44.521, C44.529, C44.590,
		C44.591, C44.599, C44.601, C44.602, C44.609,
		C44.611, C44.612, C44.619)
Recent Trauma -	1	ICD 10 Codes (S02.0XXA, S02.0XXB, S02.0XXD,
3 months (90		S02.0XXG, S02.0XXK, S02.0XXS, S02.10XA, S02.10XB,
days) prior to the		S02.10XD, S02.10XG, S02.10XK, S02.10XS, S02.110A,
IESD through 28		S02.110B, S02.110D, S02.110G, S02.110K, S02.110S,
days after the		S02.111A, S02.111B, S02.111D, S02.111G, S02.111K,
IEŚD		S02.111S, S02.112A, S02.112B, S02.112D, S02.112G,
		S02.112K, S02.112S, S02.113A, S02.113B, S02.113D,
		S02.113G, S02.113K, S02.113S, S02.118A, S02.118B,
		S02.118D, S02.118G, S02.118K, S02.118S, S02.119A,
		S02.119B, S02.119D, S02.119G, S02.119K, S02.119S,
		S02.19XA, S02.19XB, S02.19XD, S02.19XG, S02.19XK,
		S02.19XS, S02.2XXA, S02.2XXB, S02.2XXD, S02.2XXG,
		S02.2XXK, S02.2XXS, S02.3XXA, S02.3XXB, S02.3XXD,
		S02.3XXG, S02.3XXK, S02.3XXS, S02.400A, S02.400B,
		S02.400D, S02.400G, S02.400K, S02.400S, S02.401A,
		S02.401B, S02.401D, S02.401G, S02.401K, S02.401S,
		S02.402A, S02.402B, S02.402D, S02.402G, S02.402K,
		S02.402S, S02.411A, S02.411B, S02.411D, S02.411G,
		S02.411K, S02.411S, S02.412A, S02.412B, S02.412D,
		S02.412G, S02.412K, S02.412S, S02.413A, S02.413B,
		S02.413D, S02.413G, S02.413K, S02.413S, S02.42XA,
		S02.42XB, S02.42XD, S02.42XG, S02.42XK, S02.42XS,
		S02.600A, S02.600B, S02.600D, S02.600G, S02.600K,
		S02.600S, S02.609A, S02.609B, S02.609D, S02.609G,
		S02.609K, S02.609S, S02.61XA, S02.61XB, S02.61XD,
		S02.61XG, S02.61XK, S02.61XS, S02.62XA, S02.62XB,
		S02.62XD, S02.62XG, S02.62XK, S02.62XS, S02.63XA,
		S02.63XB, S02.63XD, S02.63XG, S02.63XK, S02.63XS,
		S02.64XA, S02.64XB, S02.64XD, S02.64XG, S02.64XK,
		S02.64XS, S02.65XA, S02.65XB, S02.65XD, S02.65XG,
		S02.65XK, S02.65XS, S02.66XA, S02.66XB, S02.66XD,
		S02.66XG, S02.66XK, S02.66XS, S02.67XA, S02.67XB,
		S02.67XD, S02.67XG, S02.67XK, S02.67XS, S02.69XA,
		S02.69XB, S02.69XD, S02.69XG, S02.69XK, S02.69XS,
		S02.8XXA, S02.8XXB, S02.8XXD, S02.8XXG, S02.8XXK,
		S02.8XXS, S02.91XA, S02.91XB, S02.91XD, S02.91XG,
		S02.91XK, S02.91XS, S02.92XA, S02.92XB, S02.92XD,
		S02.92XG, S02.92XK, S02.92XS, S03.0XXA, S03.0XXD,
		S03.0XXS, S03.1XXA, S03.1XXD, S03.1XXS, S06.0X0A,
		S06.0X0D, S06.0X0S, S06.0X1A, S06.0X1D, S06.0X1S,
		S06.0X2A, S06.0X2D, S06.0X2S, S06.0X3A, S06.0X3D,
		S06.0X3S, S06.0X4A, S06.0X4D, S06.0X4S, S06.0X5A,
		S06.0X5D, S06.0X5S, S06.0X6A, S06.0X6D, S06.0X6S,
		S06.0X7A, S06.0X7D, S06.0X7S, S06.0X8A, S06.0X8D,
		S06.0X8S, S06.0X9A, S06.0X9D, S06.0X9S, S06.1X0A,
		S06.1X0D, S06.1X0S, S06.1X1A, S06.1X1D, S06.1X1S,
		S06.1X2A, S06.1X2D, S06.1X2S, S06.1X3A, S06.1X3D,
		S06.1X3S, S06.1X4A, S06.1X4D, S06.1X4S, S06.1X5A,
L	<u> </u>	טטטידעסטי סטטידע וער סטטידעדער סטטידעבט, סטטידעסא,



		S06.1X5D, S06.1X5S, S06.1X6A, S06.1X6D, S06.1X6S, S06.1X7A, S06.1X7D, S06.1X7S, S06.1X8A, S06.1X8D, S06.1X8S, S06.1X9A, S06.1X9D, S06.1X9S, S06.2X0A, S06.2X0D)
Intravenous drug abuse - any time during the 12 months (1 year) prior to the IESD through 28 days after the IESD	1	ICD10 Codes (F11.10, F11.120, F11.121, F11.121, F11.122, F11.129, F11.14, F11.150, F11.151, F11.159, F11.181, F11.182, F11.188, F11.19, F11.20, F11.21, F11.220, F11.220, F11.221, F11.222, F11.229, F11.23, F11.24, F11.250, F11.251, F11.259, F11.281, F11.282, F11.288, F11.29, F13.10, F13.120, F13.121, F13.129, F13.14, F13.150, F13.151, F13.159, F13.180, F13.181, F13.182, F13.188, F13.19, F13.20, F13.21, F13.220, F13.221, F13.229, F13.230, F13.231, F13.232, F13.239, F13.24, F13.250, F13.251, F13.26, F13.27, F13.280, F13.281, F13.282, F13.282, F13.29, F14.10, F14.10, F14.120, F14.121, F14.122, F14.129, F14.14, F14.150, F14.151, F14.159, F14.180, F14.181, F14.182, F14.188, F14.19, F14.20, F14.21, F14.220, F14.221, F14.222, F14.229, F14.280, F14.281, F14.282, F14.288, F14.29, F15.10, F15.120, F15.121, F15.122, F15.129, F15.14, F15.150, F15.151, F15.159, F15.180, F15.181, F15.182, F15.188, F15.19, F15.20, F15.21, F15.220, F15.221, F15.222, F15.229, F15.229, F15.23, F15.24, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.29)  ICD9 Codes (304.00, 304.01, 304.02, 304.03, 304.10, 304.11, 304.12, 304.13, 304.20, 304.21, 304.22, 304.23, 304.40, 304.41, 304.42, 304.43, 305.50, 305.51, 305.52, 305.53, 305.60, 305.61, 305.62, 305.63, 305.70, 305.71, 305.72, 305.73)
Neurologic impairment - any time during the 12 months (1 year) prior to the IESD through 28 days after the IESD	1	ICD10 Codes (G83.4, 344.60)
HIV - any time during the patient's history through 28 days after the IESD	1	ICD10 Codes (B20, Z21, 042, V08)
Spinal infection - any time during the 12 months (1 year) prior to the IESD through 28 days after the IESD.	1	ICD10 Codes (A17.81, G06.1, M46.25, M46.26, M46.27, M46.28, M46.35, M46.36, M46.37, M46.38, M46.46, M46.47, M46.48, O13.50, O13.51, O13.52, O13.53, O13.54, O13.55, O13.56)  ICD9 Codes (324.1, 324.9, 722.93, 730.28)



Major organ transplant - any time in the patient's history through 28 days after the IESD.		CPT Codes (32850-32856, 33930, 33933, 33935, 33940, 33944, 33945, 44132-44137,44715, 44720, 44721, 47133, 47135, 47136, 47140-47147, 48160, 48550-48554, 48556, 50300, 50320, 50340, 50360, 50365, 50370, 50380)  HCPCS Codes (S2053, S2054, S2055, S2060, S2061, S2152, S2065)  ICD10 Codes (Z94.0, 0TY00Z0, 0TY00Z1, 0TY00Z2, 0TYZ0, 0TY10Z1, 0TY0Z2, 02AY0Z0, 02YA0Z1, 02YAZ2, 07YP0Z0, 07YP0Z1, 07YP0Z2, 0BYC0Z0, 0BYC0Z1, 0BYC0Z2, 0BYD0Z0, 0BYG0Z1, 0BYG0Z1, 0BYF0Z1, 0BYF0Z2, 0BYG0Z0, 0BYG0Z1, 0BYG0Z2, 0BYH0Z0, 0BYH0Z1, 0BYH0Z2, 0BYJ0Z0, 0BYJ0Z1, 0BYJ0Z2, 0BYK0Z0, 0BYK0Z0, 0BYK0Z1, 0BYK0Z2, 0BYL0Z0, 0BYL0Z1, 0BYL0Z2, 0BYM0Z0, 0BYM0Z1, 0BYM0Z2, 0DY80Z0, 0DY80Z1, 0DY80Z2, 0DYE0Z0, 0DYE0Z1, 0DYE0Z2, 0FY00Z0, 0FY00Z1, 0FY00Z2, 0FYG0Z0, 0FYG0Z1, 0FYG0Z2)  ICD9 Codes (V42.0, 55.61, 55.69, 33.50, 33.51, 33.52, 33.6, 37.51, 41.94, 46.97, 50.51, 50.59, 52.80, 52.81, 52.82, 52.83, 52.84, 52.85, 52.86)  UBREV Codes (0362, 0367, 0810, 0810, 0811, 0812,
Prolonged use of corticosteroids - 90 consecutive days of corticosteroid treatment any time during the 12 months (1 year) prior to and including the IESD.	1	To identify consecutive treatment days, identify calendar days covered by at least one dispensed corticosteroid.  • Hydrocortisone • Cortisone • Prednisone • Prednisolone • Methylprednisolone • Triamcinolone • Dexamethasone • Betamethasone For overlapping prescriptions, assume the patient started taking the second prescription after exhausting the first prescription. For example, if a patient had a 30-day prescription dispensed on June 1 and a 30-day prescription dispensed on June 26, there are 60 covered calendar days (June 1–July 30). Count only medications dispensed during the 12 months (1 year) prior to and including the IESD. When identifying consecutive treatment days, do not count days supply that extend beyond the IESD. For example, if a patient had a 90-day prescription dispensed on the IESD, there is one covered calendar day (the IESD).



# **Notes**

• Measure Steward is NCQA

